TABLE 7
POSTOPERATIVE SYSTEMIC COMPLICATIONS

| COMPLICATIONS          | POLYETHYLENE<br>LINER (N=303) | METAL LINER<br>(N= 624) |
|------------------------|-------------------------------|-------------------------|
| CANCER                 | 1 (.3%)                       | 0 (0%)                  |
| CARDIOVASCULAR         | 3 (1.0%)                      | 2 (.3%)                 |
| CENTRAL NERVOUS SYSTEM | 0 (0%)                        | 1 (.2%)                 |
| DEEP VEIN THROMBOSIS   | 3 (1.0%)                      | 5 (.8%)                 |
| DERMATOLOGICAL         | 0 (0%)                        | 1 (.2%)                 |
| EENT                   | 2 (.7%)                       | 0 (0%)                  |
| ENDOCRINE/METABOLIC    | 1 (.3%)                       | 0 (0%)                  |
| GASTROINTESTINAL       | 4 (1.3%)                      | 3 (.5%)                 |
| GENITOURINARY          | 7 (2.3%)                      | 0 (0%)                  |
| HEMATOLOGICAL          | 2 (.7%)                       | 0 (0%)                  |
| MUSCULOSKELETAL        | 15 (4.9%)                     | 16 (2.6%)               |
| NEUROLOGICAL           | 4 (1.3%)                      | 1 (.3%)                 |
| OTHER                  | 1 (.3%)                       | 4 (.6%)                 |
| PULMONARY EMBOLUS      | 3 (1.0%)                      | 2 (.3%)                 |

\* DEATH 3 (.4%)

<sup>\*</sup>Includes 1 patient with bilateral metal/metal and metal/polyethylene hip prostheses.